

8 REFERENCES

- Abenhaim L, Rossignol M, Gobeille D, Bonvalot Y, Fines P, Scott S 1995. The prognostic consequences in the making of the initial medical diagnosis of work-related back injuries. *Spine*; 20: 791-795.
- Abenhaim L, Rossignol M, Valat J-P, Nordin M 2000. The role of activity in the therapeutic management of back pain. *Spine*; (in press)
- ACC and the National Health Committee 1997. *New Zealand acute low back pain guide*. Wellington, NZ, Ministry of Health (www.nhc.govt.nz).
- Adams MA, Mannion AF, Dolan P 1999. Personal risk factors for first-time low back pain. *Spine*; 24: 2497-2505.
- Agency for Health Care Policy and Research. 1994. *Acute low-back problems in adults. Clinical Practice Guideline Number 14*. Washington DC, US Government Printing Office.
- Alaranta H, Rytokoski U, Rissanen A, Talo S, Ronnema T, Puukka P, Karppi S-L, Videman T, Kallio V, Slati P 1994. Intensive physical and psychosocial training program for patients with chronic low back pain: A controlled clinical trial. *Spine*; 19: 1339-1349.
- Andersson GBJ 1997. The epidemiology of spinal disorders. in Frymoyer JW (ed). *The adult spine: principles and practice*. 93-141. Philadelphia, Lippincott-Raven.
- Andersson GBJ, Deyo R 1997. Sensitivity, specificity and predictive value. in Frymoyer JW (ed). *The adult spine: principles and practice*. 2nd: 308-310. Philadelphia, Lippincott-Raven.
- Anon 1996. *The Back Book*. Norwich, The Stationery Office (www.tsonline.co.uk).
- Aulman P, Bakker-Rens RM, Dielemans SF, Mulder A, Verbeek JHAM 1999. *Hendelen van de bedrijfsarts bij werkers met Lage-Rugklachten (Practice guidelines for occupational physicians: workers with low-back pain)*. Eindhoven, Nederlandse Vereniging voor Arbeids- en Bedrijfsgezondheidskunde (NVAB) (in Dutch).
- Baldwin ML, Johnson WG, Butler RJ 1996. The error of using returns-to-work to measure the outcomes of health care. *Amer J Industr Med*; 29: 632-641.
- Battié MC, Videman T, Gibbons L, Fisher L, Manninen H, Gill K 1995. Determinants of lumbar disc degeneration: a study relating lifetime exposures and MRI findings in identical twins. *Spine*; 20: 2601-2612.
- Bendix AF, Bendix T, Hastrup C, Busch E 1998. A prospective, randomized 5-year follow-up study of functional restoration in chronic low back pain patients. *European Spine Journal*; 7: 111-119.
- Bendix AF, Bendix T, Labriola M, Boekgaard P 1998. Functional restoration for chronic low back pain: two-year follow-up of two randomized clinical trials. *Spine*; 23: 717-724.
- Bigos SJ, Battié MC, Fisher LD, Hansson TH, Spengler DM, Nachemson AL 1992. A prospective evaluation of preemployment screening methods for acute industrial back pain. *Spine*; 17: 922-926.
- Bigos SJ, Wilson MR, Davis GE 1998. Reliable science about avoiding low back problems at work. in Wolter D, Seide K (ed). *Berufsbedingte Erkrankungen der Lendenwirbelsäule*. 415-425. Hamburg, Springer-Verlag.
- Bongers PM, de Winter CR, Kompier MAJ, Hildebrandt VH 1993. Psychosocial factors at work and musculoskeletal disease. *Scandinavian Journal of Work and Environmental Health* ; 19: 297-312.
- Boos N, Semmer N, Elfering A, Schade V, Gal I, Hodler J, Zanetti M, Main CJ 2000. Psychosocial factors and not MRI-based disc abnormalities predict future low-back pain-related medical consultation and work absence. *Spine*; (in press)
- Borenstein G et al 1998. *A 7-year follow-up study of the value of lumbar spine MR to predict the development of low back pain in asymptomatic individuals*. Presented to International Society for the Study of the Lumbar Spine, Brussels, June 9-13.

- Bovenzi M, Hulshof CT 1999. An updated review of epidemiologic studies on the relationship between exposure to whole-body vibration and low back pain (1986-1997). *International Archives of Occupational and Environmental Health*; 72: 351-365.
- Brinckmann P, Frobin W, Biggemann M, Tillotson M, Burton K 1998. Quantification of overload injuries to thoracolumbar vertebrae and discs in persons exposed to heavy physical exertions or vibration at the work-place. Part II. Occurrence and magnitude of overload injury in exposed cohorts. *Clinical Biomechanics*; 13 (Suppl. 2): S(2)1-S(2)36.
- Burdorf A, Sorock G 1997. Positive and negative evidence of risk factors for back disorders. *Scandinavian Journal of Work and Environmental Health*; 23: 243-256.
- Burton AK 1997. Back injury and work loss: Biomechanical and psychosocial influences. *Spine*; 22: 2575-2580.
- Burton AK, Main CJ 2000. Relevances of biomechanics in occupational musculoskeletal disorders. in Mayer TG, Gatchel RJ, Polatin PB (ed). *Occupational musculoskeletal disorders: function, outcomes and evidence*. 157-166. Philadelphia, Lipincott-Raven.
- Burton AK, Tillotson KM, Symonds TL, Burke C, Mathewson T 1996. Occupational risk factors for the first-onset of low back trouble: a study of serving police officers. *Spine*; 21: 2612-2620.
- Burton AK, Waddell G 1998. Clinical guidelines in the management of low back pain. *Bailliere's Clinical Rheumatology*; 12: 17-35.
- Burton AK, Waddell G, Tillotson KM, Summerton N 1999. Information and advice to patients with back pain can have a positive effect: a randomized controlled trial of a novel educational booklet in primary care. *Spine*; 24: 2484-2491.
- Carey TS, Garrett JM, Jackman AM 2000. Beyond the good prognosis: Examination of an inception cohort of patients with chronic low back pain. *Spine*; 25: 115-120.
- Carosella AM, Lackner JM, Feuerstein M 1994. Factors associated with early discharge from a multidisciplinary work rehabilitation program for chronic low back pain. *Pain*; 57 : 69-76.
- Catchlove R, Cohen K 1982. Effects of a directive return to work approach in the treatment of workman's compensation patients with chronic pain. *Pain*; 14: 181-191.
- Cheadle A, Franklin G, Wolfhagen C 1994. Factors influencing the duration of work-related disability: a population-based study in Washington State Workers Compensation. *Am J Public Health*; 84: 190-196.
- Cherkin DC, Deyo RA, Street JH, Hunt M, Barlow W 1996. Pitfalls of patient education. Limited success of a program for back pain in primary care. *Spine*; 21: 345-355.
- Clinical Standards Advisory Group. Back Pain. Report of a CSAG committee on back pain. 1994. London, HMSO.
- Croft PR, Macfarlane GJ, Papageorgiou AC, Thomas E, Silman AJ 1998. Outcome of low back pain in general practice: a prospective study. *BMJ*; 316: 1356-1359.
- Croft PR, Papageorgiou AC, Ferry S, Thomas E, Jayson MIV, Silman AJ 1995. Psychologic distress and low back pain : evidence from a prospective study in the general population. *Spine*; 20: 2731-2737.
- Cutler RB, Fishbain DA, Rosomoff HL, Abdel-Moty E, Khalil TM, Rosomoff RS 1994. Does nonsurgical pain center treatment of chronic pain return patients to work? A review and meta-analysis of the literature. *Spine*; 19: 643-652.
- Daltroy LH, Iversen MD, Larson MG, Lew R, Wright E, Ryan J, Zwerling C, Fossel AH, Liang MH 1997. A controlled trial of an educational program to prevent low back injuries. *The New England Journal of Medicine*; 337: 322-328.
- Davis KG, Heaney CA 2000. The relationship between psychosocial work characteristics and low back pain: underlying methodological issues. *Clinical Biomechanics*; (in press)
- Department of Health 1999. *The Prevalence of Back Pain in Great Britain in 1998*. Internet, (www.doh.gov.uk/public/backpain.htm).

- Devereux JJ, Buckle PW, Vlachonikolis IG 1999. Interactions between physical and psychosocial risk factors at work increase the risk of back disorders; an epidemiological approach. *Occupational and Environmental Medicine*; 56: 343-353.
- Di Fabio RP 1995. Efficacy of comprehensive rehabilitation programs and back school for patients with low back pain : a meta-analysis. *Physical Therapy*; 75: 865-878.
- Dionne CE 1999. Low back pain. in Crombie IK, Croft PR, Linton SJ, LeResche L, Von Korff M (ed). *Epidemiology of pain*. 283-297. Seattle, IASP Press.
- Dishman RK, Oldenburg B, O'Neal H, Shephard RJ 1998. Worksite physical activity interventions. *Am J Prev Med*; 15: 344-361.
- Dueker JA, Ritchie SM, Knox TJ, Rose SJ 1994. Isokinetic trunk testing and employment. *Journal of Occupational Medicine*; 36: 42-48.
- Ehrmann-Feldman D, Rossignol M, Abenhaim L, Gobielle D 1996. Physician referral to physical therapy in a cohort of workers compensated for low back pain. *Physical Therapy*; 76: 150-157.
- Faas A 1996. Exercises: which ones are worth trying, for which patients, and when? *Spine*; 21: 2874-2877.
- Faucett J 1999. Chronic low back pain: Early interventions. *Annual Review of Nursing Research*; 17: 155-182.
- Ferguson SS, Marras WS 1997. A literature review of low back disorder surveillance measures and risk factors. *Clinical Biomechanics*; 12: 211-226.
- Feuerstein M, Zastowny TR 1999. Occupational Rehabilitation: Multidisciplinary Management of Work-Related Musculoskeletal Pain and Disability. in Gatchel R, Turk DC (ed). *Psychological Approaches to Pain Management: A Practitioner's Handbook*. 458-485. London, The Guildford Press.
- Fishbain DA, Cutler R, Rosomoff HL, Khalil TM, Steele-Rosomoff R 1997. Impact of chronic pain patients' job perception variables on actual return to work. *Clin J Pain*; 13: 197-206.
- Fordyce WE, Brockway JA, Bergman JA, Spengler D 1986. Acute back pain: a control group comparison of behavioral -vs- traditional management methods. *J Behav Med*; 9: 127-140.
- Frank J, Sinclair S, Hogg-Johnson S, Shannon H, Bombardier C, Beaton D, Cole D 1998. Preventing disability from work-related low-back pain. New evidence gives new hope - if we can just get all the players onside. *Canadian Medical Association Journal*; 158: 1625-1631.
- Frank JW, Brooker AS, DeMaio SE, Kerr MS, Maetzel A, Shannon HS, Sullivan TJ, Norman RW, Wells RP 1996. Disability resulting from occupational low back pain: Part II: what do we know about secondary prevention? a review of the scientific evidence on prevention after disability begins. *Spine* ; 21: 2918-2929.
- Frank JW, Kerr MS, Brooker AS, DeMaio SE, Maetzel A, Shannon HS, Norman RW , Sullivan TJ, Wells RP 1996. Disability resulting from occupational low back pain: Part I: what do we know about primary prevention? a review of the scientific evidence on prevention before disability begins. *Spine*; 21: 2908-2917.
- Friedrich M, Gittler G, Halberstadt Y, Cermak T, Heiller I 1998. Combined exercise and motivation program: Effect on the compliance and level of disability of patients with chronic low back pain: A randomized controlled trial. *Archives of Physical Medicine & Rehabilitation*; 79: 475-487.
- Frost H, Lamb SE, Klaber-Moffett JA, Fairbank JCT, Moser JS 1998. A fitness programme for patients with chronic low back pain: 2-year follow-up of a randomised controlled trial. *Pain*; 75: 273-280.
- Garcy P, Mayer T, Gatchel RJ 1996. Recurrent or new injury outcomes after return to work in chronic disabling spinal disorders: tertiary prevention efficacy of functional restoration treatment. *Spine*; 21: 952-959.
- Garg A, Moore JS 1992. Epidemiology of low back pain in industry. *Occupational Medicine*; 7: 593-608.
- Garg A, Moore JS 1992. Prevention strategies and the low back in industry. *Occupational Medicine*; 7: 629-640.

- Gebhardt WA 1994. Effectiveness of training to prevent job-related back pain: a meta-analysis. *British Journal of Clinical Psychology*; 33: 571-574.
- Greenwood JG, Harvey HJ, Pearson JC, Woon CL, Posey P, Main CF 1990. Early intervention in low back disability among coal miners in West Virginia: negative findings. *Journal of Occupational Medicine*; 32: 1047-1052.
- Hadler NM 1997. Back pain in the workplace. What you lift or how you lift matters far less than whether you lift or when. *Spine*; 22: 935-940.
- Haig AJ, Linton P, McIntosh M 1990. Aggressive early medical management by a specialist in physical medicine and rehabilitation: effect on lost time due to injuries in hospital employees. *Journal of Occupational Medicine*; 32: 241-244.
- Haldorsen EMH, Indahl A, Ursin H 1998. Patients with low back pain not returning to work: a 12-month follow-up study. *Spine*; 23: 1202-1208.
- Hall H, McIntosh G, Melles T, Holowachuk B, Wai E 1994. Effect of discharge recommendations on outcome. *Spine*; 19: 2033-2037.
- Harris JS 1997. *Occupational Medicine Practice Guidelines*. Harris JS (ed). Beverly (MA), OEM Press.
- Hartigan C 1996. Rehabilitation of acute and subacute low back and neck pain in the work-injured patient. *Orthop Clin North Am*; 27: 860.
- Hazard RG, Haugh LD, Reid S, McFarlane G, MacDonald L 1997. Early physician notification of patient disability risk and clinical guidelines after low back injury. *Spine*; 22: 2951-2958.
- Hiebert R, Skovron ML, Nordin M, Crane M 2000. Work restrictions and outcome of non-specific low back pain. *Spine*; (in press)
- Hoogendoorn WE, van Poppel MNM, Bongers PM, Koes BW, Bouter LM 1999. Physical load during work and leisure time as risk factors for back pain. *Scandinavian Journal of Work and Environmental Health*; 25: 387-403.
- HSE 1998. *Manual Handling Operations Regulations 1992: Guidance on Regulations (L23)*. Norwich, Her Majesty's Stationery Office.
- Hunt A, Habeck R 1993. *The Michigan Disability Prevention Study*. Kalamazoo (MI), W.E Upjohn Institute for Employment Research.
- IASP 1995. *Back Pain in the Workplace: Management of Disability in Nonspecific Conditions*. Fordyce WE (ed). Seattle, IASP Press.
- ICSI 1998. *Health Care Guideline: Adult Low Back Pain*. Internet, Institute for Clinical Systems Integration (www.icsi.org/guide/).
- Infante-Rivarde C, Lortie M 1997. Relapse and short sickness absence for back pain in the six months after return to work. *Occup Environ Med*; 54: 328-334.
- Ingermarsson HA, Nordholm L, Sivik T 1997. Risk for long-term disability among patients with back pain. *Scandinavian Journal of Rehabilitation Medicine*; 29: 205-212.
- INSERM 2000. *Les lombalgies en milieu professionnel: quels facteurs de risque et quelle prevention? (Low back pain at the workplace: risk factors and prevention)*. Paris, Les editions INSERM. Synthese bibliographique realisee a la demande de la CANAM (in French).
- Jarvikoski A, Mellin G, Estlander A, Harkapaa K, Vanharanta H, Hupli M, Heinonen R 1993. Outcome of two multimodal back treatment programs with and without intensive physical training. *Journal of Spinal Disorders*; 6: 93-98.
- Johanning E 2000. Evaluation and management of occupational low back disorders. *American Journal of Industrial Medicine*; 37: 94-111.
- Jones JR, Hodgson JT, Clegg TA, Elliott RC 1998. *Self-reported work-related illness in 1995. Results from a household survey*. 1-282. Norwich, Her Majesty's Stationery Office.

- Kankaanpaa M, Taimela S, Airaksinen O, Hanninen O 1999. The efficacy of active rehabilitation in chronic low back pain: Effect on pain intensity, self-experienced disability, and lumbar fatigability. *Spine*; 24: 1034-1042.
- Kaplansky BD 1998. Prevention strategies for occupational low back pain. *Occupational Medicine*; 13: 33-45.
- Karjalainen K et al 1999. Multidisciplinary rehabilitation for subacute low back pain among working age adults. (Protocol for Cochrane Review). in *The Cochrane Library, Issue 4*. Oxford, Update Software. (Review submitted).
- Kazimirski JC 1997. CMA Policy Summary: The physician's role in helping patients return to work after an illness or injury. *Canadian Medical Association Journal*; 156: 680A-680C.
- Kendall NAS, Linton SJ, Main CJ 1997. *Guide to assessing psychological yellow flags in acute low back pain: Risk factors for long-term disability and work loss*. 1-22. Wellington, NZ, Accident Rehabilitation & Compensation Insurance Corporation of New Zealand and the National Health Committee.
- Kluber-Moffett J, Torgerson D, Bell-Seyer S, Jackson D, Llewelyn-Phillips H, Farrin A, Barber J 1999. Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences. *BMJ*; 319: 279-283.
- Krause N, Dasinger LK, Neuhauser F 1998. Modified work and return to work: a review of the literature. *Journal of Occupational Rehabilitation*; 8: 113-139.
- Krause N, Ragland DR 1994. Occupational disability due to Low Back Pain: A new interdisciplinary classification based on a phase model of disability. *Spine*; 19: 1011-1020.
- Lahad A, Malter A, Berg AO, Deyo R 1994. The effectiveness of four interventions for the prevention of low back pain. *Journal of the American Medical Association*; 272: 1286-1291.
- Lancourt J, Kettelhut M 1992. Predicting return to work for lower back pain patients receiving workers compensation. *Spine*; 17: 629-640.
- Lehmann TR, Spratt KF, Lehmann KK 1993. Predicting long-term disability in low back injured workers presenting to a spine consultant. *Spine*; 18: 1103-1112.
- Ljunggren AE, Weber H, Kogstad O, Thom E, Kirkesola G 1997. Effect of exercise on sick leave due to low back pain: a randomized, comparative, long-term study. *Spine*; 22: 1610-1616.
- Loisel P, Abenham L, Durand P, Esdaile JM, Suissa S, Gosselin L, Simard R, Turcotte J, Lemaire J 1997. A population-based, randomized clinical trial on back pain management. *Spine*; 22: 2911-2918.
- Lonn JH, Glomsrod B, Soukup MG, Bo K, Larsen S 1999. Active back school: Prophylactic management for low back pain: A randomized, controlled, 1-year follow up study. *Spine*; 24: 865-871.
- Macfarlane GJ, Thomas E, Papageorgiou AC, Croft PR, Jayson MIV, Silman AJ 1997. Employment and physical work activities as predictors of future low back pain. *Spine*; 22: 1143-1149.
- Marras WS, Lavender SA, Leurgens SE, Rajulu SL, Allread WG, Farthallah FA, Ferguson SA 1993. The role of dynamic three-dimensional trunk motion in occupationally-related low back disorders: The effects of workplace factors trunk position and trunk motion characteristics on risk of injury. *Spine*; 18: 617-628.
- Masset DF, Piette AG, Malchaire JB 1998. Relation between functional characteristics of the trunk and the occurrence of low back pain: Associated risk factors. *Spine*; 23: 359-365.
- Mitchell RI, Carmen GM 1990. Results of a multicenter trial using an intensive active exercise program for the treatment of acute soft tissue and back injuries. *Spine*; 15: 514-521.
- Moore JE, Von Korff M, Cherkin D, Saunders KLKA 2000. A randomized trial of a cognitive-behavioral program for enhancing back self care in a primary care setting. (*manuscript submitted*);
- Mostardi RA, Noe DA, Kovacik MW, Porterfield JA 1992. Isokinetic lifting strength and occupational injury: a prospective study. *Spine*; 17: 189-193.
- Muller CF, Monrad T, Biering-Sorensen F, Darre E, Deis A, Kryger P 1999. The influence of previous low back trouble, general health, and working conditions on future sick-listing because of low back

- trouble: A 15-year follow-up study of risk indicators for self-reported sick-listing caused by low back trouble. *Spine*; 24: 1562-1570.
- Nachemson A, Jonsson E 2000. *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- Nachemson A, Vingard E 2000. Assessment of neck and back pain syndromes. in Nachemson A, Jonsson E (ed). *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- Nadler SF, Stitick TP, Malanga GA 1999. Optimizing outcome in the injured worker with low back pain. *Critical Reviews in Physical and Rehabilitation Medicine*; 11: 139-169.
- Nassau DW 1999. The effects of prework functional screening on lowering an employer's injury rate, medical costs, and lost work days. *Spine*; 24: 269-274.
- National Research Council 1999. *Work-related musculoskeletal disorders: report, workshop summary and workshop papers*. Washington, DC, National Academy Press (www.nap.edu).
- Newton M, Thow M, Somerville D, Henderson I, Waddell G 1993. Trunk strength testing with iso-machines: Part 2: Experimental evaluation of the Cybex II back testing system in normal subjects and patients with chronic low back pain. *Spine*; 18: 812-824.
- Newton M, Waddell G 1993. Trunk strength testing with iso-machines: Part 1: Review of a decade of scientific evidence. *Spine*; 18: 801-811.
- NIOSH 1997. *Musculoskeletal Disorders and Workplace Factors. A critical review of epidemiologic evidence for work-related musculoskeletal disorders of the neck, upper-extremity, and low back*. Bernard BP (ed). Cincinnati, NIOSH.
- Nordin M, Skovron ML, Hiebert R, Weiser S, Brisson PM, Campello M, Harwood K, Crane M, Lewis S 1997. Early predictors of delayed return to work in patients with low back pain. *Journal of Musculoskeletal Pain*; 5: 5-27.
- Norman R, Wells R, Neumann P, Frank J, Shannon H, Kerr M, Ontario Universities Back Pain Study (OUBPS) Group. 1998. A comparison of peak vs cumulative physical work exposure risk factors for the reporting of low back pain in the automotive industry. *Clinical Biomechanics*; 13: 561-573.
- Oleinick A, Gluck JV, Guire KE 1996. Factors affecting first return to work following a compensable occupational back injury. *American Journal of Industrial Medicine*; 30: 540-555.
- Ostry A, Stringer B, Berkowitz J, Schultz I 1999. *Workplace organisation questionnaire (poster presentation)*. Presented to the 9th World Congress on Pain, Vienna, August 1999.
- Papageorgiou AC, Macfarlane GJ, Thomas E, Croft PR, Jayson MIV, Silman AJ 1997. Psychosocial factors in the workplace - Do they predict new episodes of low back pain?: Evidence from the South Manchester back pain study. *Spine*; 22: 1137-1142.
- Pfingsten M, Kroner-Herwig B, Harter W, Hempel D, Kronshage U, Hildebrandt J 2000. Fear-avoidance behavior and anticipation of pain in patients with chronic low back pain - a randomised controlled study. *Spine (in press)*;
- Pollock RA, Saunders HD, Melnick MS 1991. *Your Healthy Back*. Chaska, Minnesota, The Saunders Group, Inc.
- Polyani MFD, Eakin J, Frank JW, Shannon HS, Sullivan T 1998. *Creating healthier work environments: a critical review of the health impacts of workplace organisational change interventions*. National forum on health, Canada Health Action: building on the legacy. Quebec; Ste Foy, Editions Multimondes.
- Poole CJM 1999. Can sickness absence be predicted at the pre-placement health assessment? *Occupational Medicine*; 49: 337-339.
- Rainville J, Carlson N, Polatin P, Gatchel RJ, Indahl A 2000. Exploration of physicians' recommendations for activities in chronic low back pain. *Spine*; (in press)

- Riihimaki H, Wickstrom G, Hanninen K, Luopajarvi T 1989. Predictors of sciatic pain among concrete reinforcement workers and house painters - a five-year follow-up. *Scandinavian Journal of Work and Environmental Health*; 15: 415-423.
- Roland M, Dixon M 1989. Randomized controlled trial of an educational booklet for patients presenting with back pain in general practice. *Journal of the Royal College of General Practitioners*; 39 : 244-246.
- Royal College of General Practitioners. 1995. *The development and implementation of clinical guidelines. Report of the Clinical Guidelines Working Group.* 1-31. London, Royal College of General Practitioners
- Royal College of General Practitioners 1999. *Clinical Guidelines for the Management of Acute Low Back Pain.* London, Royal College of General Practitioners (www.rcgp.org.uk).
- Ryan WE, Krishna MK, Swanson CE 1995. A prospective study evaluating early rehabilitation in preventing back pain chronicity in mine workers. *Spine*; 20: 489-491.
- Sandstrom J, Esbjornsson E 1986. Return to work after rehabilitation. The significance of the patient's own prediction. *Scandinavian Journal of Rehabilitation Medicine*; 18: 29-33.
- Savage RA, Whitehouse GH, Roberts N 1997. The relationship between the magnetic resonance imaging appearance of the lumbar spine and low back pain, age and occupation in males. *European Spine Journal*; 2: 106-114.
- Scheer SJ, Radack KL, O'Brien Jr DR 1995. Randomized controlled trials in industrial low back pain relating to return to work. Part 1 acute interventions. *Archives of Physical Medicine & Rehabilitation*; 76: 966-973.
- Scheer SJ, Watanabe TK, Radack KL 1997. Randomized controlled trials in industrial low back pain. Part 3 Subacute/chronic interventions. *Archives of Physical Medicine & Rehabilitation*; 78: 414-423.
- Shannon HS, Walters V, Lewchuk W, Richardson J, Moran LA, Haines T, Verma D 1996. Workplace organizational correlates of lost-time accident rates in manufacturing. *American Journal of Industrial Medicine*; 29: 258-268.
- Sinclair SJ, Hogg-Johnson S, Mondloch MV, Shields SA 1997. The effectiveness of an early active intervention program for workers with soft-tissue injuries: The early claimant cohort study. *Spine*; 22: 2919-2931.
- Snook SH, Webster BS 1998. *An evidence-based approach for managing low back pain and disability in industry. Project 97-7.* Hopkinton, Massachusetts, Liberty Mutual Research Centre.
- Snook SH, Webster BS, McGorry RW, Fogleman MT, McCann KB 1998. The reduction of chronic nonspecific low back pain through the control of early morning lumbar flexion. *Spine*; 23: 2601-2607.
- Symmons DPM, van Hemert AM, Vandenbrouke JP, Valkenburg HA 1991. A longitudinal study of back pain and radiological changes in the lumbar spines of middle-aged women.I. Clinical findings. *Annals of the Rheumatic Diseases*; 50: 158-161.
- Symmons DPM, van Hemert AM, Vandenbrouke JP, Valkenburg HA 1991. A longitudinal study of back pain and radiological changes in the lumbar spines of middle-aged women.II. Radiographic findings. *Annals of the Rheumatic Diseases*; 50: 162-166.
- Symonds TL, Burton AK, Tillotson KM, Main CJ 1995. Absence resulting from low back trouble can be reduced by psychosocial intervention at the work place. *Spine*; 20: 2738-2745.
- Szpalski M, Gunzburg R 1998. Methods of trunk function testing. *Seminars in Spine Surgery*; 10: 104-111.
- Tate RB, Yassi A, Cooper J 1999. Predictors of time loss after back injury in nurses. *Spine*; 24: 1930-1936.
- Teasell RW, Harth M 1996. Functional restoration: returning patients with chronic low back pain to work - revolution or fad ? *Spine*; 21: 844-847.
- Turner JA 1996. Educational and behavioral interventions for back pain in primary care. *Spine*; 21: 2851-2857.

- U.S.Preventive Services Task Force 1996. *Counselling to prevent low back pain*. Internet, National Guidelines Clearing House (www.guideline.gov).
- van den Hoogen HMM, Koes BW, van Eijk JTM, Bouter LM 1995. On the accuracy of history, physical examination, and erythrocyte sedimentation rate in diagnosing low back pain in general practice : a criteria-based review of the literature. *Spine*; 20: 318-326.
- van der Weide WE, Verbeek JHAM, van Dijk FJH 1999. Relation between indicators for quality of occupational rehabilitation of employees with low back pain. *Occupational and Environmental Medicine*; 56: 488-493.
- van der Weide WE, Verbeek JHAM, van Dijk FJH, Doef F 1997. An audit of occupational health care for employees with low-back pain. *Occupational Medicine*; 47: 294-300.
- van der Weide WE, Verbeek JHAM, van Tulder MW 1997. Vocational outcome of intervention for low back pain. *Scandinavian Journal of Work and Environmental Health*; 23: 165-178.
- van Doorn JWC 1995. Low back disability among self-employed dentists, veterinarians, physicians and physical therapists in the Netherlands. *Acta Orthopaedica Scandinavica*; 66 (Suppl 263): 1-64.
- van Poppel MNM, Koes BW, Smid T, Bouter LM 1997. A systematic review of controlled clinical trials on the prevention of back pain in industry. *Occup Environ Med*; 54: 841-847.
- van Poppel MNM, Koes BW, van der Ploeg T, Smid T, Bouter LM 1998. Lumbar supports and education for the prevention of low back pain in industry. *Journal of the American Medical Association*; 279: 1789-1794.
- van Tulder MW, Assendelft JJ, Koes BW, Bouter LM 1997. Spinal radiographic findings and nonspecific low back pain: a systematic review of observational studies. *Spine*; 22: 427-434.
- van Tulder MW, Esmail R, Bombardier C, Koes BW 1999. *Back schools for non-specific low back pain (Cochrane Review)*. In: *The Cochrane Library, Issue 3*. Oxford, Update Software.
- van Tulder MW, Goossens M, Waddell G, Nachemson A 2000. Conservative treatment of chronic low back pain. in Nachemson A, Jonsson E (ed). *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- van Tulder MW, Malmivaara A, Esmail R, Koes BW, Bouter LM 2000. Exercise therapy for low back pain. *Cochrane Review (in press)*;
- van Tulder MW, Waddell G 2000. Conservative treatment for acute and subacute low back pain . in Nachemson A, Jonsson E (ed). *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- Victorian Workcover Authority. 1996. *Guidelines for the management of employees with compensable low back pain* . Melbourne, Victorian Workcover Authority.
- Videman T, Battié MC 1999. The influence of occupation on lumbar degeneration. *Spine*; 24: 1164-1168.
- Vingard E, Nachemson A 2000. Work related influences on neck and low back pain. in Nachemson A, Jonsson E (ed). *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- Volinn E 1999. Do workplace interventions prevent low-back disorders? If so, why?: a methodologic commentary. *Ergonomics*; 42: 258-272.
- Vroomen PCAJ, de Krom MCTFM, Wilmink JT, Kester ADM, Knottnerus JA 1999. Lack of effectiveness of bed rest for sciatica. *The New England Journal of Medicine*; 340: 418-423.
- Waddell G 1998. *The Back Pain Revolution*. Edinburgh, Churchill Livingstone.
- Waddell G, Feder G, Lewis M 1997. Systematic reviews of bed rest and advice to stay active for acute low back pain. *British Journal of General Practice*; 47: 647-652.
- Waddell G, Feder G, McIntosh A, Lewis M, Hutchinson A 1996. *Low back Pain Evidence Review*. London, Royal College of General Practitioners.

- Waddell G, McIntosh A, Hutchinson A, Feder G, Lewis M 1999. *Low back Pain Evidence Review*. London, Royal College of General Practitioners (www.rcgp.org.uk).
- Waddell G, Waddell H 2000. A review of social influences on neck and back pain and disability. in Nachemson A, Jonsson E (ed). *Swedish SBU report. Evidence based treatment for back pain*. Stockholm/Philadelphia, Swedish Council on Technology Assessment in Health Care (SBU)/Lippincott (English translation) - (in press).
- Westgaard RH, Winkel J 1996. Guidelines for occupational musculoskeletal load as a basis for intervention: a critical review. *Applied Ergonomics*; 27: 79-88.
- Westgaard RH, Winkel J 1997. Ergonomic intervention research for improved musculoskeletal health: A critical review. *Industrial Ergonomics*; 20: 463-500.
- Wiesel SW, Boden SD, Feffer HL 1994. A quality-based protocol for management of musculoskeletal injuries: a ten-year prospective outcome study. *Clinical Orthopaedics and Related Research*; 301: 164-176.
- Wigley RD, Carter N, Woods J, Ahuja M, Couchman KG 1990. Rehabilitation in chronic back pain: employment status after four years. *New Zealand Medical Journal*; 103: 9-10.
- Wilder DG, Pope MH 1996. Epidemiological and aetiological aspects of low back pain in vibration environments - an update. *Clinical Biomechanics*; 11: 61-71.
- Wood DJ 1987. Design and evaluation of a back injury prevention program within a geriatric hospital. *Spine*; 12: 77-82.
- Yamamoto S 1997. Guidelines on Worksite Prevention of Low Back Pain Labour Standards Bureau Notification No.57. *Industrial Health*; 35: 143-172.
- Yassi A, Tate R, Cooper JE, Snow S, Vallentyne S, Khokhar JB 1995. Early intervention for back injuries in nurses at a large Canadian tertiary care hospital: an evaluation of the effectiveness and cost benefits of a two-year pilot project. *Occupational Medicine*; 45: 209-214.
- Zwerling C, Daltroy LH, Fine LJ, Johnston JJ, Melius J, Silverstein BA 1997. Design and conduct of occupational injury intervention studies: a review of evaluation strategies. *American Journal of Industrial Medicine*; 32: 164-179.